TMDA/DMC/MRE/F/016

Version#1

TANZANIA MEDICINES AND MEDICAL DEVICES AUTHORITY



PUBLIC ASSESSMENT REPORT FOR RUISUFA® 10 MG (ROSUVASTATIN CALCIUM EQUIVALENT TO ROSUVASTATIN 10MG) FILM COATED TABLETS

Version number 1.0

14 April, 2022

P. O. Box 77150, EPI Mabibo, Off Mandela Road, Dar es Salaam, Tanzania Tel: +255-22-2450512/2450751/ 2452108; Fax: +255-22-2450793 Email: info@tmda.go.tz; Website: mwww.tmda.go.tz

1. Introduction

RUISUFA® 10 mg is a generic medicine of Crestor 10 mg film- coated tablets of Astra Zeneca is a blood cholesterol-lowering drug of statin family. Rosuvastatin is a selective and competitive inhibitor of HMG-CoA reductase, the rate-limiting enzyme that converts 3-hydroxy-3-methylglutaryl coenzyme A to mevalonate, a precursor for cholesterol. The primary site of action of Rosuvastatin is the liver, the target organ for cholesterol lowering. Rosuvastatin increases the number of hepatic LDL receptors on the cell-surface, enhancing uptake and catabolism of LDL and it inhibits the hepatic synthesis of VLDL, thereby reducing the total number of VLDL and LDL particles. RUISUFA® 10 mg is approved in Tanzania for use in adults, adolescents, and children aged 6 years or older.

1.1 Product details

Registration number	TAN 21 HM 0179		
Brand name	RUISUFA® 10 mg		
Generic name, strength, and form	Each film coated tablet contains: Rosuvastatin Calcium Equivalent to Rosuvastatin 10 mg		
ATC classification	ATC code: C10A A07- HMG-CoA reductase inhibitors		
Distribution category	POM		
Country of origin	India		
Associated product	RUISUFA® 5 mg Film-Coated Tablets		
Marketing Authorization Holder	B&O PHARM		
	ZAC de la Masquère - 500 rue de l'Hers - 31750		
	ESCALQUENS, France		
	Email address: l.serena@tridem-pharma.com		
Local Technical Representative Tridem Pharma Tanzania Limited			
	P.O. Box 23145,		
	Dar es Salaam, Tanzania		
	E-Mail: b.aloyce@tridem-pharma.com		

1.2 Assessment procedure

The application for registration of RUISUFA® 10 mg was submitted on 02 June 2020. The product underwent full assessment. Assessment was completed in 3 (three) rounds of evaluation and the product was registered on 29 March 2021.

1.3 Information for users

Visual description of the finished product	Film-coated tablet with peach color (from orange to peach for visual difference), biconvex and round tablet, two sides are both smooth
Primary packing material	Al-PA/Al/PVC blister
Secondary packing materials	A printed carton box
Shelf-life and storage condition	24 months, Do not store above 30°C. Store in the
	original package in order to protect from moisture
Route of administration	Oral
Therapeutic indications	Treatment of hypercholesterolaemia

Adults, adolescents and children aged 6 years or older with primary hypercholesterolaemia (type IIa includingheterozygous familial hypercholesterolaemia) or mixed dyslipidaemia (type IIb) as an adjunct to diet when response to diet and other non-pharmacological treatments (e.g. exercise, weight reduction) is inadequate.

Adults, adolescents and children aged 6 years or older with homozygous familial hypercholesterolaemia as an adjunct to diet and other lipid lowering treatments (e.g. LDL apheresis) or if such treatments are not appropriate.

Prevention of Cardiovascular Events
Prevention of major cardiovascular events in
patients who are estimated to have a high risk for
a first cardiovascular event, as an adjunct to
correction of other risk factors.

2. Labelling and product information

Summary of product characteristics

The SmPC included all the relevant information to ensure correct and safe use of the medicine by healthcare providers. The complete SmPC can be accessed here.

Package insert/leaflet

The package insert is confirmed to be derived from the SmPC and contains sufficient data for the end user. Since the product is POM, the package insert contains full prescribing information as per SmPC.

Container labels

The product label information is presented in English. Details in the secondary pack label include: Brand name: RUISUFA® 10 mg

Composition: Rosuvastatin calcium equivalent to 10 mg Rosuvastatin

Pack size:28 tablets

Manufacturing details: batch number, manufacturing date, and expiry date

Storage conditions: Do not store above 30°C. Store in the original package in order to protect from moisture

Manufacturer address: physical address of release site

Unique identifier: Not applicable

Special warnings/precautions or instructions for use: Excipient with notorious effects: lactose monohydrate -For details please see the leaflet

The details of the primary pack include:

Brand name and strength: RUISUFA® 10 mg

Manufacturing details: batch number, manufacturing date and expiry date

Name of manufacturer: ZHEJIANG JINGXIN PHARMACEUTICAL CO., LTD

The content of the primary and secondary labels was aligned to the requirements of the Part V of the Compendium: Guidelines on Format and Content of Product Labels for Medicinal products. The label contains sufficient information for proper identification of the medicine and post marketing follow up of the product.

Mock labels are appended as annex I.

3. Scientific discussion

Quality of Active Pharmaceutical Ingredients

Information on the quality of the API was submitted in form of DMF.

General Information

Rosuvastatin calcium API is compendia in USP and BP/Ph. Pharmacopeia.

Molecular formula: C₄₄H₅₄F₂N₆O₁₂S₂.Ca

Chemical name:

(3R,5S)-7-[4-(4-phlorophenyl)-6-isopropyl-2-[methyl(methylsulphonyl)amino] pirimidyn-5-yl]-3,5-dihydroxy-6(E)-heptenoicacid calcium salt (2:1)

Or

6-Heptanoic acid-7-[4-(4-phloropheny)-6-(1-methylethyl)-2-[methyl(methylsulphonyl)amino]-5-primidinyl]-3,5-dihydroxy-, calcium salt (2:1), (3R,5S,6E) Or

Bis[(E)-7[4-(4-phlorophenyl)-6-isopropyl-2-methyl(methylsulphonyll)amino]pirimidyn-5-yl]-(3R,5S)-3,5-dihydroxyhept-6-enoic acid] calcium salt

Structure:

General properties

The active substance is a white to light yellow powder and is soluble in dimethylformamide, acetone and acetonitrile and is insoluble in water. It shows polymorphism. The molecule has 2 chiral centres; the manufacturer consistently produces the correct isomer and the same polymorphic form. Enantiomeric purity is controlled routinely by suitable analytical methods.

According to Biopharmaceutics Classification System (BCS), Rosuvastatin calcium is classified as Class 2 compound (low solubility, high permeability) hence particle size distribution (PSD) is considered critical parameter and form part of the API specifications.

Manufacture

Rosuvastatin calcium API manufacturer is Shangyu Jingxin Pharmaceutical Co., Ltd, No.31 Weisan Road, Zhejiang Hangzhou Bay, Shangyu Economic and Technological Development Area, Shangyu, Zhejiang Province, the People's Republic of China. The manufacturing complies with GMP requirements as evidenced by the GMP certificate issued by the Food and Drugs Administration, Republic of China. Rosuvastatin calcium API is manufactured by chemical synthesis using conventional techniques. Sufficient controls of quality of materials and in-process checks were employed throughout the manufacturing process.

Specifications

The API specifications were set as per in-house standards and ICHQ3A. The parameters monitored during quality control are: appearance, optical rotation, identification of API and calcium, test for calcium content, test for chloride, heavy metals, water content, enantiomeric purity, related substances, assay, residual solvents, and particle size. Compliance to these specifications were established via batch analysis data and stability studies.

Stability and container closure system

The re-test period of Rosuvastatin calcium API is 36 months when packed in low density polythene bag in an aluminum foil bag filled with nitrogen contained inside a fiber drum when store at 10-20°C.

Quality of the Finished Pharmaceutical Product

Formulation

RUISUFA® 10 mg is a film-coated tablet with peach color (from orange to peach for visual difference), biconvex and round tablet, two sides are both smooth

RUISUFA® 10 mg contains the Rosuvastatin calcium and other ingredients listed here after: lactose monohydrate, microcrystalline cellulose, crospovidone, magnesium oxide, silicon dioxide magnesium stearate, hypromellose, titanium dioxide, triacetin, lactose monohydrate, FD&C yellow# sunset yellow, FCF aluminum lake, FD&C red# allura red AC aluminum lake, FD&C blue# indigo carmine FCF aluminum lake. The quantities of all ingredients are confirmed to be in line with the recommendations of Handbook of Pharmaceutical Excipients, 8th Edition in terms of function and quantities.

Manufacture

The finished product manufacturer is Zhejiang Jingxin Pharmaceutical Co., Ltd., No.800 Xinchang East Road, Yulin Subdistrict, Xinchang County, Zhejiang, China. The compliance of the site to TMDA GMP standards was confirmed through site inspection on 18-19 December, 2016.

Specifications

The FPP is compendia in BP and USP. The manufacturer controls the quality of the finished product as per in-house standards and ICH requirements. The parameters monitored during quality control are: appearance, identification, uniformity of dosage units, dissolution, related substances, assay, microbial enumeration tests, and test for specified microorganisms. Compliance to the standard was established using batch analysis data and stability data.

Stability and container closure system

Stability studies were conducted on a 3 (three) batches of the finished product stored at $30 \pm 2^{\circ}$ C & RH: $75 \pm 5\%$ RH for 24 months and $40 \pm 2^{\circ}$ C & RH: $75\% \pm 5\%$ RH for 6 months. Based on the stability data presented, the approved shelf-life is 36 months when stored in Al-PA/Al/PVC blister with storage condition 'Do not store above 30° C. Store in the original package in order to protect from moisture'.

Safety and efficacy information

Safety and efficacy of RUISUFA® 10 mg was established through a bioequivalence trial.

BE trial report number ZEYY-CPL-BE-06-2016 was submitted.

01 1 00				
Study title	A single center, randomized, open label, crossover single dose			
	study design; Under fasting condition, using a crossover 2x2 design			
	(two treatments, two periods, two sequences, randomized crossover			
	study design), between RUISUFA ® (Rosuvastatin Calcium 10mg)			
	film coated tablet manufactured by Zhejiang Jingxin Pharmaceutical			
	Co., Ltd as test product against Rosuvastatin calcium film coated			
	10mg tablets (Crestor ®) ,manufactured by AstraZeneca			
	Pharmaceutical Co., Ltd as reference product in healthy adult human			
	under fasting condition			
Study design	Single center, randomized, open label, crossover single dose study			
, ,	design; Under fasting condition, using a crossover 2x2 design (two			
	treatments, two periods, two sequences, randomized crossover			
	study			
Study site	The Second Affiliated Hospital of Zhejiang University School of			
	Medicine			
	No. 88, Jiangfang Road, Hangzhou city			
Study dates	24 September, 2016 to 19 November, 2016			
-				
Primary objective	To compare the rate and extent of absorption of a generic formulation			
	with that of a reference formulation when given as equal labelled			
	dose			
Secondary objective	To evaluate the safety of both test and reference formulation			
Number of participants	Enrolled: 28 subjects +4 standby			

	Dosed: 28 subjects			
	Withdrawn – 02 subjects			
	Completed: 26 subjects,			
	Bio-sample analyzed: 26 subjects			
	Pharmacokinetic and statistical data analyzed: 26 subjects			
Monitored parameters	Tmax, Cmax, AUC0→t, AUC0→∞, AUC% Extrapolation Kel and			
	T1/2			
Investigational medicinal	Test Product	Reference product		
products	Strength: 10 mg	Strength: 10 mg		
	Batch number: A1601262	Batch number: 129523		
	Expiry date: 12/2017	Expiry date: 07/2018		
Analytical method	LC-MS/MS method was used for the determination of plasma			
	concentration of analyte			
Statistical method	PROC GLM SAS® software Vers	sion		

Efficacy results are summarized as follows:

Parameter	Test	Reference	90 % Confidence interval	% Ratio	DF	CV (%)
AUC0-t (ng.hr/mL)	124.35	116.06	86.04-101.24	93.33	24	18.08
AUC0-inf (ng.hr/mL)	119.42	124.35	85.44-102.13	93.41	24	17.27
Cmax (ng/mL)	11.07	11.74	85.39-104.16	94.31	24	21.17

The acceptance limits of 80-125% are met by the AUC and Cmax values. Furthermore, the safety profile of the test product is similar to that of reference product. Therefore, RUISUFA ® (Rosuvastatin Calcium 10mg) film coated tablet manufactured by Zhejiang Jingxin Pharmaceutical Co., Ltd is equivalent and interchangeable with Crestor (Rosuvastatin 20 mg Tablets) manufactured by AstraZeneca Pharmaceutical Co., Ltd under acceptable in vivo experimental conditions.

4. Benefit-Risk Assessment and Conclusion

On basis of the data submitted, the current state of knowledge and compliance to Good Manufacturing Practice, the benefit of the product outweighs the risks associated with its use when used in accordance to the summary of product characteristics. RUISUFA® 10 mg is recommended for registration.

5. Post-approval updates

Variation applications

Reference number	Date submitted	Change requested	Recommendation	Granting date

Feedback from pharmacovigilance, post marketing surveillance and enforcement activities

Type of feedback	Impact	Response

Re-registration applications


NA

PART 5: CHANGE HISTORY

Version number	Date	Description of update	Section(s) Modified	Approval date

Annex I: Mock up labels;

Primary pack label;



Secondary pack label; MA Holder / Titulaire de l'AMM: **B&O PHARM** ZAC de la Masquère - 500 rue de l'Hers - 31750 ESCALQUENS, France Manufacturer / Fabricant: ZHEJIANG JINGXIN PHARMACEUTICAL CO., LTD No.800, Xinchang East Road, Yulin Subdistrict, Xinchang County, Zhejiang Province, China RUISUFA® Tablets Comprimés Rosuvastatin (as Rosuvastatin Calcium) 10 mg Rosuvastatine (sous forme de Rosuvastatine calcique) 10 mg Rosuvastatin Calcium Tablets Comprimés de Rosuvastatine Calcique RUISUFA 10 mg Ronly Oral route/Voie orale 10 mg 28 tablets/ comprimés RUISUFA® Tablets Comprimés 10 mg Batch/ Lot Mfc/Fab: EXP: INDICATIONS: For details please see the leaflet. Do not store above 30°C. Store in the original package INDICATIONS: in order to protect from moisture. Pour plus de détails, voyez la notice s'il vous plait. CONSERVATION: DOSAGE: Ne pas conserver à une température supérieure à 30°C. As directed by the physician. Conserver dans l'emballage d'origine à l'abri de l'humidité. For details please see the leaflet. Excipient with notorious effects: POSOLOGIE: lactose monohydrate Se conformer à la prescription médicale. Excipient a effet notoire: lactose monohydraté Keep out of the reach and sight of children Reg. No.: Garder hors de la portée et de la vue des enfants. Tanzania: Malawi: Zambia: NAFDAC: